




STORAGE SPACE SYSTEMS

NEW. Juno tool sheds, Berry tool shed Vario

HÖRMANN





Contents

4	Good reasons to try Hörmann
14	Inspirations
16	NEW. Juno tool sheds Design
18	NEW. Juno tool sheds Modern
20	Juno garden boxes
22	Berry tool sheds Modern
24	Berry tool sheds Classic
26	Berry tool sheds Classic Air and Classic Air Plus
28	NEW. Berry tool sheds Vario
29	Berry firewood racks
30	Design, equipment, accessories
32	Overview of Juno and Berry tool sheds
33	Comparison of Juno and Berry tool sheds
34	NEW. Juno tool sheds with flat roof
36	NEW. Juno tool sheds with gable roof
38	Juno garden boxes
40	Berry tool sheds with pent roof
41	Berry tool sheds with gable roof
42	Berry firewood racks
44	Colours
45	Foundation
46	NEW. Accessories for Juno tool sheds
48	Accessories for Berry tool sheds
50	Maximum prefabrication

Responsibility for generations

The Hörmann family business has over 85 years of experience as a construction component specialist. This gives us an obligation to both current and future generations. That's why environmental responsibility plays such an important role for us. With this in mind, we develop innovative solutions for sustainable products and intelligent environmental protection.



“A GOOD REPUTATION MUST BE EARNED.”

August Hörmann

In keeping with the tradition started by the company’s founder, the Hörmann brand is a true promise of quality and, with sales of over 20 million doors and operators, is one of Europe’s most successful suppliers. Due to the comprehensive international sales and service network, Hörmann is your strong partner for high-quality construction components.



WE THINK AND ACT GREEN. As a family business, we are very conscious of our responsibility to future generations and offer all products for residential construction CO₂-neutral as standard. The Hörmann sustainability strategy aims to reduce and avoid emissions. We cover 100% of our electrical power needs at all European production sites with genuine green electricity from renewable sources. We also apply many other measures to reduce our consumption and save more than 75000 tonnes of CO₂ each year. We work with ClimatePartner to offset the remaining emissions by supporting certified climate protection projects.



You can find further information at
www.hoermann.com/sustainability



ClimatePartner
certified product
climate-id.com/XNEBKC



CO₂
measure
reduce
contribute

Brand quality Made in Europe

In addition to all major elements for building and renovating projects, the family-owned company Hörmann also offers innovative storage space systems from a single source. We manufacture in highly specialised factories using state-of-the-art production technologies. Our employees work intensively on new products, continual further developments and improvements to details. The results are patents and unique products on the market.





20-year
warranty *

LONG-LASTING. GUARANTEED. All major storage space system components are developed and manufactured by Hörmann. Endurance tests under real conditions ensure mature series products with Hörmann quality. Thanks to this and uncompromising quality assurance, you receive a 20-year warranty on all Juno garden boxes, Berry tool sheds and Berry firewood racks from Hörmann.

* The complete warranty conditions can be found at: www.hoermann.com

Certified safety for you and your family. Hörmann storage space systems offer the highest quality and safety. To achieve this, all Berry tool sheds and Berry firewood racks are made of hot-galvanized sheet steel. Without any sharp edges and with high-quality doors, locks and hinges. This provides you and your family with safety during daily use.



The compelling advantages of metal storage space systems

Storage space system made of metal offer many advantages over wooden sheds. They are not combustible and do not warp. Thanks to the hot-galvanized sheet steel, they are low-maintenance and resistant to both weather and mould. The steel used consists of 25% recycled material. The tool sheds, firewood racks and garden boxes are 100% reusable. Another benefit is the convenient clear passage height of almost 2 metres, which makes it easier to enter and is higher than comparable tool sheds from other manufacturers.



Only from Hörmann

Material thickness up to 1.5 mm

ROBUST CONSTRUCTION. The high stability of the storage space systems is achieved by a robust steel frame construction. Strong material thicknesses of up to 1.5 mm are used for optimum safety and long-lasting quality. All bolts and hinges are galvanized and thus protected against oxidation. The tool sheds are equipped with reliable door locks and high-quality hinges as standard. The standard profile cylinder in the locking system ensures that you can also store valuables, such as your e-bike, safely and securely.

IN ALL KINDS OF WEATHER. With the door closed and fixed to the foundation, Hörmann tool sheds can withstand wind speeds of up to 150 km/h and a snow load of 150 kg/m².

Only from Hörmann

With aluminium bottom frame as standard:
Protection against rust and more stability

Fixing the Berry aluminium bottom frame profile to paving stones (fixing example)



Fixing the Berry aluminium bottom frame profile to uneven ground with screw foundation



COVER PAGE. Juno tool shed
Design pent roof, RAL 9007 Grey aluminium
Size: JFD 14, single-leaf version;
Juno garden box, RAL 9007 Grey aluminium,
size: type 1620


PAGE 2. Juno tool shed
Modern flat roof, RAL 7016 Anthracite grey
Size: JFD 13, double-leaf version;

LEFT. Juno tool shed
Modern gable roof, RAL 7016 Anthracite grey
Size: JSD 7, double-leaf version

With great attention to detail

All Hörmann storage space systems are developed with attention to details and everyday functionality. Thanks to the high quality and robust construction, you will enjoy your tool shed, firewood rack or your garden box from Hörmann for a long time. Treat yourself to the wide range of storage space systems and matching comfort down to the last detail.





Only from Hörmann

Quick and easy fitting

QUICK AND EASY FITTING.

All Berry storage space systems are delivered with a maximum degree of prefabrication. The appropriate tools are also included in the scope of delivery. This makes for quick and easy assembly and fitting.

→ Further information can be found starting on page 50.



MATCHING PERFECTLY. For a uniform and harmonious appearance, the Berry firewood racks and Berry tool sheds (optionally in RAL to choose), as well as the Juno garden boxes and Juno tool sheds, can be made to match. The Berry firewood racks also match the Berry tool sheds perfectly in terms of height.

HEIGHT-ADJUSTABLE HINGES. All Berry tool shed door hinges are height-adjustable as standard, making it fast and easy to adjust the door.




Only from Hörmann

Concealed hinges

CONCEALED HINGES. The concealed door hinges of the Juno tool sheds, which connect the door leaf and door frame, are not visible from the outside and ensure a harmonious appearance.

We think green

A green roof offers a host of advantages for the environment and for the building itself. It improves air quality by filtering pollutants out of the air and producing oxygen. A green roof also reduces the heat effect in built-up urban areas, as it absorbs less heat than conventional roofs. A green roof absorbs sound exposure, which in turn reduces noise. It can absorb and filter rainwater before it enters the sewage system, and this helps improve water quality. The green roof also acts as weather protection, against hailstorms for example.





GENEROUS GREEN ROOF. All Berry tool sheds can be fitted with a roof frame in preparation for a green roof.

NEW. Berry tool sheds with a gable roof are also suitable for fitting a green roof.

The system is rated for a maximum saturated weight of 65 kg/m².

→ Further information on the roof frame can be found from page 48.



LEFT: Berry tool shed with pent roof, Modern style, type 3, RAL 7016 Anthracite grey

TOP: Detail of roof frame for green roof

CENTRE: Layout of the green roof panels

NEW. BOTTOM: Roof frame for Berry tool shed with gable roof, Classic style, type 3, RAL 7039 Quartz grey







Inspirations


- 16 **NEW.** Juno tool sheds Design
- 18 **NEW.** Juno tool sheds Modern
- 20 Juno garden boxes
- 22 Berry tool sheds Modern
- 24 Berry tool sheds Classic
- 26 Berry tool sheds Classic Air and Classic Air Plus
- 28 **NEW.** Berry tool sheds Vario
- 29 Berry firewood racks




TOP: Juno tool shed, gable roof design, RAL 7016 Anthracite grey, size JSD 5, single-leaf version
 BOTTOM LEFT. Mechanical hold-open device with gas spring as standard

BOTTOM CENTRE. Accessories: shelf and fold-up table, optional full-length window with laminated safety glass

BOTTOM RIGHT. Juno tool shed Design with flat roof, RAL 9007 Grey aluminium, size JFD 13, single-leaf version





NEW. Juno tool shed Design style

Only from Hörmann

Glazing with laminated safety glass
as standard for full-length windows

MODERN DESIGN WITH CONCEALED HINGES. With the Juno tool shed, we offer you an affordable solution without sacrificing the proven Hörmann quality. The Juno tool shed in Design style features wide sections that give the shed an elegant look. The optional glazing element made of 4 mm thick laminated safety glass is resistant to breakage and splintering and floods the tool shed with natural light.

→ Further information can be found starting on page 30.

→ For more information on accessories, see from page 48.





TOP: Juno tool shed Modern with gable roof, RAL 9007 Grey aluminium, size JSD 6, single-leaf version;

BOTTOM LEFT. Optional version with bi-colour exterior

BOTTOM RIGHT. Juno tool shed Modern with flat roof, CH 703 Anthracite metallic, size JFD 14, double-leaf version



NEW. Juno tool shed Modern style

WIDE SELECTION. The new Juno tool shed product line offers a wide range of sizes. We offer flat-roofed tool sheds in 11 sizes and gable-roofed sheds in up to 14 sizes. This means there is a tool shed to suit every size of garden and every situation.

→ For further information on the Modern style, see from page 32.





High-quality storage space for balcony and garden. Sheet steel with high-quality coil coating makes the Juno garden box particularly long-lasting and resistant to both weather and mould. This makes it ideal for storing cushions, toys, garden tools and patio items on the balcony or in the garden.

→ Further information can be found starting on page 44.



Juno garden box

Safely stored. The standard two-point locking with metal fittings and the cylinder lock integrated in the cover ensure secure protection. Height-adjustable feet and closing dampers as standard provide additional comfort.

→ Further information can be found starting on page 44.

LEFT. RAL 9007 Grey aluminium, size: type 1320

BOTTOM. RAL 7016 Anthracite grey, size: type 1620





Clear passage width
96 cm



PAGE 14 / 15. Berry tool shed with pent roof, Modern style, RAL 7016 Anthracite grey, size: type 3, single-leaf version, Berry firewood rack, Modern style, RAL 7016 Anthracite grey, size: type 1, Juno garden box, RAL 7016 Grey aluminium, size: type 1620

TOP. RAL 6013 Reed green, size: type 2, single-leaf version

BOTTOM LEFT. Bicycle rack accessories

RIGHT. RAL 9007 Grey aluminium, size: type 3, double-leaf version

Berry tool shed Modern style

ATTRACTIVE AND CONVENIENT. With its wide sections, the Berry tool shed Modern has an elegant appearance. The transom light with scratch-resistant Duratec glazing as standard provides natural light in the pent roof version. Thanks to the high-quality materials, you will enjoy your Hörmann tool shed for a long time.

→ Further information can be found starting on page 30.



Berry tool shed Classic style

TIMELESS AND ELEGANT. The Berry tool shed Classic is characterised by narrow, vertical sections – a design that combines style and shape in a timeless manner. The pent roof version comes with a transom light with scratch-resistant Duratec glazing as standard, which provides natural light.

→ Further information can be found starting on page 30.



TOP LEFT. RAL 5014 Pigeon blue,
size: type 1, double-leaf version,

TOP RIGHT. RAL 7040 Window grey,
size: type 2, double-leaf version

BOTTOM LEFT. RAL 5014 Pigeon blue,
size: type 1, double-leaf version,
with optional aluminium LED magnetic
lamp

BOTTOM RIGHT. Accessories for trellis
and external threshold ramps





ACCESSORIES. The tool sheds offer sufficient storage space and come in three different dimensions. From garden tools to bicycles – everything can be optimally stored. The many accessory options such as corner shelf, fold-up table or bicycle rack provide plenty of space and keep things tidy.

→ Additional accessories can be found from page 48.



Berry tool shed Classic Air Plus style



TOP. Classic Air Plus style, RAL 7040
Window grey, with gable roof, size: type 3,
double-leaf version

FAR LEFT. Accessories for external threshold
ramps

LEFT. Accessories for aluminium corrugated
sheet floor

BOTTOM RIGHT. Classic Air style, RAL 7016
Anthracite grey, with pent roof, size: type 3,
double-leaf version




Berry tool shed Classic Air style

AIRY AND SOLID. The Classic Air and Classic Air Plus Berry tool sheds with their rows of holes on the side and at the rear provide natural ventilation and daylight. They are ideal for storing rubbish bins or bicycles. Both styles are available with a pent roof as well as a gable roof. For use as a bin storage area, we recommend the aluminium base construction and aluminium corrugated sheet floor accessories.

→ For more information on the Classic Air style, see from page 32.

→ For more information on accessories, see from page 48.





NEW. Berry tool shed Vario style

IT'S YOUR CHOICE. With the new Vario style, you can clad the walls and door sets of the shed yourself and personalise it to your own taste. Whether you opt for timber, laminates or stainless steel expanded mesh, is entirely up to you. The result is a tool shed that is perfectly in tune with the rest of your garden.

→ Further information can be found starting on page 30.

VERY TOP. Berry tool shed Vario with on-site cladding

TOP LEFT. 3 infill samples: laminates (e.g. HPL laminates) and stainless steel expanded mesh

TOP RIGHT. Berry tool shed Vario, shown without infill



Berry firewood rack Modern

PROTECTED AND AT HAND. Berry firewood racks are made of hot-galvanized, dimensionally stable sheet steel and are therefore practically maintenance-free. The practical storage unit is available in two styles and two sizes. The Modern style is characterised by a particularly elegant and contemporary look. It can be used to store wood, protecting it against all adverse weather effects.

→ Available with standard cross strut or optional rear wall. Further information can be found starting on page 38.

Berry firewood rack Classic


MANY COLOURS TO CHOOSE. In addition to the two styles Classic and Modern, Berry firewood racks can be configured in nine standard colours and optionally in RAL to choose. Firewood racks can be optimally matched with Berry tool sheds not only in terms of colour, but also height.

→ Further information can be found starting on page 38.



TOP: Modern style, RAL 7016 Anthracite grey
Size: type 1, with rear wall
RIGHT: Classic style, RAL 9007 Grey aluminium
Size: type 2, with cross strut





Design Equipment Accessories

- 32 Overview of Juno and Berry tool sheds
- 33 Comparison of Juno and Berry tool sheds
- 34 **NEW.** Juno tool sheds with flat roof
- 36 **NEW.** Juno tool sheds with gable roof
- 38 Juno garden boxes
- 40 Berry tool sheds with pent roof
- 41 Berry tool sheds with gable roof
- 42 Berry firewood racks
- 44 Colours
- 45 Foundation
- 46 **NEW.** Accessories for Juno tool sheds
- 48 Accessories for Berry tool sheds
- 50 Maximum prefabrication

Juno and Berry tool sheds

Overview

Juno tool sheds

Modern design with concealed hinges

Flat roof

- 11 Design style
- 12 Modern style



Gable roof

- 13 Design style
- 14 Modern style



Berry tool sheds

High stability and simple fitting

Pent roof

- 1 Modern style
- 2 Classic style
- 3 Classic Air style
- 4 Classic Air Plus style
- 5 **NEW.** Vario style



Gable roof

- 6 Modern style
- 7 Classic style
- 8 Classic Air style
- 9 Classic Air Plus style
- 10 **NEW.** Vario style



Juno tool sheds

Modern design with concealed hinges

- Gable roof and flat roof
- Clear passage height and width greater than comparable tool sheds from other manufacturers
- 3 colours as standard
- No RAL to choose
- Flat roof 11 sizes, gable roof 14 sizes
- 2 styles, "Modern" and "Design"
- Fitting as a modular system – individual 480 mm wall elements
- Wall and roof sheet thickness 0.5 mm
- Stability due to bolted bottom and roof frame with material thickness 1.5 mm
- With optional full-length windows with 4 mm laminated safety glass
- Single-leaf or double-leaf available
- Concealed hinges, 3-way adjustable
- Optional aluminium bottom frame
- All edges machined carefully to minimise the risk of injury
- Barely visible bolts
- Wind load 150 km/h / snow load 150 kg/m²
- No roof frame for green roof
- Optional bi-colour exterior
- High-quality coil coating (advantage: lighter inside thanks to RAL 9002 Grey white)
- 20-year warranty
- Stainless steel lever handle set as standard
- Flat roof with two drainpipes as standard

Berry tool sheds

High stability and simple fitting

- Gable roof and pent roof
- Clear passage height and width greater than comparable tool sheds from other manufacturers
- 9 colours as standard
- RAL to choose
- 3 sizes
- 2 styles, "Classic" and "Modern"
- Quick and easy fitting – high degree of prefabrication thanks to frame construction
- Wall and roof sheet thickness 0.5 mm to 0.65 mm
- Stability due to walls in steel box frame construction – frame parts material thickness 1.5 mm
- With optional small windows in Duratec glazing
- Single-leaf or double-leaf available
- Height-adjustable hinges
- Aluminium bottom frame included in the price
- Without sharp edges and therefore particularly child-proof
- Barely visible bolts
- Wind load 150 km/h / snow load 150 kg/m²
- Optional roof frame for green roof
- No bi-colour
- Powder-coated, hot-galvanized sheet steel on inside and outside
- 20-year warranty
- Plastic lever handle set as standard
- Optional drainpipes

NEW. Juno tool sheds with flat roof

Sizes



	JFD 4	JFD 5	JFD 6	JFD 7	JFD 8
External dimensions of wall elements (width x depth)	214 x 166 cm	214 x 214 cm	214 x 262 cm	214 x 310 cm	262 x 166 cm
Overall height with flat roof (height)	220 cm	220 cm	220 cm	220 cm	220 cm
External dimensions with flat roof (width x depth)	229 x 181 cm	229 x 229 cm	229 x 277 cm	229 x 325 cm	277 x 181 cm
Door set height	200 cm	200 cm	200 cm	200 cm	200 cm
External foundation dimensions (width x depth)	227 x 179 cm	227 x 227 cm	227 x 275 cm	227 x 323 cm	275 x 179 cm
Internal dimensions of tool shed (width x depth)	205 x 157 cm	205 x 205 cm	205 x 253 cm	205 x 301 cm	253 x 157 cm
External dimensions bottom frame (width x depth)	212 x 164 cm	212 x 212 cm	212 x 260 cm	212 x 308 cm	260 x 164 cm
Clear passage height, tool shed (height)	195 cm	195 cm	195 cm	195 cm	195 cm
Clear passage width, tool shed (single-leaf / double-leaf)	92 cm / 140 cm	92 cm / 140 cm	92 cm / 140 cm	92 cm / 140 cm	92 cm / 140 cm
Gross floor area¹	7.4 m ²	9.6 m ²	11.7 m ²	13.9 m ²	9.1 m ²
Wind load	150 km/h	150 km/h	150 km/h	150 km/h	150 km/h
Snow load	150 kg/m ²	150 kg/m ²	150 kg/m ²	150 kg/m ²	150 kg/m ²

¹ Please consult the local building regulations.

Only from Hörmann

Concealed hinges as standard



When the door is closed, the concealed hinges are not visible from the outside, ensuring a harmonious appearance.

Standard mechanical hold-open device



The mechanical hold-open devices are included in the scope of delivery to ensure controlled opening and closing (soft stop and automatic closing).

Only from Hörmann


Laminated safety glazing as standard for full-length windows



The standard laminated safety glazing for full-length windows provides the tool shed with natural light and is highly resistant to breakage and splintering. It is also less susceptible to damage caused by adverse weather effects.

JFD 9	JFD 10	JFD 11	JFD 12	JFD 13	JFD 14
262 × 214 cm	262 × 262 cm	262 × 310 cm	310 × 214 cm	310 × 262 cm	310 × 310 cm
220 cm	220 cm	220 cm	220 cm	220 cm	220 cm
277 × 229 cm	277 × 277 cm	277 × 325 cm	325 × 229 cm	325 × 277 cm	325 × 325 cm
200 cm	200 cm	200 cm	200 cm	200 cm	200 cm
275 × 227 cm	275 × 275 cm	275 × 323 cm	323 × 227 cm	323 × 275 cm	323 × 323 cm
253 × 205 cm	253 × 253 cm	253 × 301 cm	301 × 205 cm	301 × 253 cm	301 × 301 cm
260 × 212 cm	260 × 260 cm	260 × 308 cm	308 × 212 cm	308 × 260 cm	308 × 308 cm
195 cm	195 cm	195 cm	195 cm	195 cm	195 cm
92 cm / 140 cm	92 cm / 140 cm	92 cm / 140 cm	92 cm / 140 cm	92 cm / 140 cm	92 cm / 140 cm
11.7 m ³	14.4 m ³	17.0 m ³	13.9 m ³	17.0 m ³	20.1 m ³
150 km/h	150 km/h	150 km/h	150 km/h	150 km/h	150 km/h
150 kg/m ²	150 kg/m ²	150 kg/m ²	150 kg/m ²	150 kg/m ²	150 kg/m ²


Standard colours



1



2



3

Standard colours, exterior

- 1 RAL 9007 Grey aluminium
- 2 RAL 7016 Anthracite grey
- 3 CH 703 Anthracite metallic



4

Standard colours, interior

- 4 RAL 9002 Grey white

NEW. Juno tool sheds with gable roof

Sizes



	JSD 1 ¹	JSD 2 ¹	JSD 3	JSD 4	JSD 5	JSD 6
External dimensions of wall elements (width x depth)	166 x 118 cm	166 x 166 cm	214 x 118 cm	214 x 166 cm	214 x 214 cm	214 x 262 cm
Overall height with gable roof (height)	219 cm	219 cm	223 cm	223 cm	223 cm	223 cm
External dimensions with gable roof (width x depth)	189 x 133 cm	189 x 181 cm	237 x 133 cm	237 x 180 cm	237 x 229 cm	237 x 277 cm
Door set height	200 cm	200 cm	200 cm	200 cm	200 cm	200 cm
External foundation dimensions (width x depth)	179 x 131 cm	179 x 179 cm	227 x 131 cm	227 x 179 cm	227 x 227 cm	227 x 275 cm
Internal dimensions of tool shed (width x depth)	157 x 109 cm	157 x 157 cm	205 x 109 cm	205 x 157 cm	205 x 205 cm	205 x 253 cm
External dimensions bottom frame (width x depth)	164 x 116 cm	164 x 164 cm	212 x 116 cm	212 x 164 cm	212 x 212 cm	212 x 260 cm
Clear passage height, tool shed (height)	195 cm	195 cm	195 cm	195 cm	195 cm	195 cm
Clear passage width, tool shed (single-leaf / double-leaf)	92 cm	92 cm	92 cm / 140 cm	92 cm / 140 cm	92 cm / 140 cm	92 cm / 140 cm
Gross floor area²	4.1 m ³	5.7 m ³	5.3 m ³	7.5 m ³	9.6 m ³	11.8 m ³
Wind load	150 km/h	150 km/h	150 km/h	150 km/h	150 km/h	150 km/h
Snow load	150 kg/m ²	150 kg/m ²	150 kg/m ²	150 kg/m ²	150 kg/m ²	150 kg/m ²

¹ Can only be ordered with single-leaf door

² Please consult the local building regulations.

Only from Hörmann

Concealed hinges as standard



When the door is closed, the concealed hinges are not visible from the outside, ensuring a harmonious appearance.

Standard mechanical hold-open device



The mechanical hold-open devices are included in the scope of delivery to ensure controlled opening and closing (soft stop and automatic closing).

Only from Hörmann


Laminated safety glazing as standard for full-length windows




The standard laminated safety glazing for full-length windows provides the tool shed with natural light and is highly resistant to breakage and splintering. It is also less susceptible to damage caused by adverse weather effects.

JSD 7	JSD 8	JSD 9	JSD 10	JSD 11	JSD 12	JSD 13	JSD 14
214 × 310 cm	262 × 166 cm	262 × 214 cm	262 × 262 cm	262 × 310 cm	310 × 214 cm	310 × 262 cm	310 × 310 cm
223 cm	227 cm	227 cm	227 cm	227 cm	231 cm	231 cm	231 cm
237 × 325 cm	285 × 181 cm	285 × 229 cm	285 × 277 cm	285 × 325 cm	333 × 229 cm	333 × 277 cm	333 × 325 cm
200 cm	200 cm	200 cm	200 cm	200 cm	200 cm	200 cm	200 cm
227 × 323 cm	275 × 179 cm	275 × 227 cm	275 × 275 cm	275 × 323 cm	323 × 227 cm	323 × 275 cm	323 × 323 cm
205 × 301 cm	253 × 157 cm	253 × 205 cm	253 × 253 cm	253 × 301 cm	301 × 205 cm	301 × 253 cm	301 × 301 cm
212 × 308 cm	260 × 164 cm	260 × 212 cm	260 × 260 cm	260 × 308 cm	308 × 212 cm	308 × 260 cm	308 × 308 cm
195 cm	195 cm	195 cm	195 cm	195 cm	195 cm	195 cm	195 cm
92 cm / 140 cm	92 cm / 140 cm	92 cm / 140 cm	92 cm / 140 cm	92 cm / 140 cm	92 cm / 140 cm	92 cm / 140 cm	92 cm / 140 cm
14.0 m ³	9.2 m ³	11.9 m ³	14.6 m ³	17.3 m ³	14.3 m ³	17.5 m ³	20.7 m ³
150 km/h	150 km/h	150 km/h	150 km/h	150 km/h	150 km/h	150 km/h	150 km/h
150 kg/m ²	150 kg/m ²	150 kg/m ²	150 kg/m ²	150 kg/m ²	150 kg/m ²	150 kg/m ²	150 kg/m ²


Standard colours



1



2



3

Standard colours, exterior

- 1 RAL 9007 Grey aluminium
- 2 RAL 7016 Anthracite grey
- 3 CH 703 Anthracite metallic



4

Standard colours, interior

- 4 RAL 9002 Grey white

Juno garden boxes

Types and colours



1 Type 1320 2 Type 1620

Advantages

- Secure storage of everything from cushions to toys, garden tools and patio items
- Robust design made of galvanized sheet steel with high-quality paint
- Weather-resistant, rainwater-proof and UV-resistant
- Cylinder lock elegantly integrated into the cover
- Fast and easy fitting thanks to small number of individual parts
- Customisable with height-adjustable feet

Two-point locking in the cover



The mechanical two-point locking system in the cover ensures secure storage for your garden tools and patio items.

Integrated dampers



The two integrated dampers ensure extremely comfortable opening and closing of the garden box.



Type 1320



Type 1620

Dimensions / technical data

**External dimensions with cover
(width x height x depth)**

136 x 68 x 73 cm

166 x 88 x 73 cm

**Inside dimensions
(width x depth)**

123 x 53 cm


153 x 73 cm

Volume


0.4 m³

0.7 m³

Standard colours



1



2

Standard colours, exterior

1 RAL 9007 Grey aluminium

2 RAL 7016 Anthracite grey



3

Standard colours, interior

3 RAL 9002 Grey white

Berry tool sheds with pent roof

Sizes



	Type 1	Type 2	Type 3
External dimensions of wall elements (width x depth)	238 x 107 cm	238 x 238 cm	302 x 238 cm
Overall height with pent roof (height)	228 cm	232 cm	232 cm
External dimensions with pent roof (width x depth)	247 x 153 cm	247 x 283 cm	312 x 283 cm
Door set height	198 cm	198 cm	198 cm
External foundation dimensions (width x depth)	244 x 114 cm	244 x 244 cm	309 x 244 cm
Internal dimensions of tool shed (width x depth)	226 x 95 cm	226 x 226 cm	290 x 226 cm
External dimensions bottom frame (width x depth)	234 x 104 cm	234 x 234 cm	299 x 234 cm
Clear passage height, tool shed (height)	194 cm	194 cm	194 cm
Clear passage width, tool shed (single-leaf / double-leaf)	96 cm / 159 cm	96 cm / 159 cm	96 cm / 159 cm
Gross floor area*	5.5 m ³	12.2 m ³	15.5 m ³
Wind load	150 km/h	150 km/h	150 km/h
Snow load	150 kg/m ²	150 kg/m ²	150 kg/m ²


* Please consult the local building regulations.

Double doors



All Berry tool sheds can be optionally equipped with a double-leaf door for a wider clear passage width.

Glazing



Glazing elements¹ can be integrated at a surcharge. The glazing frames are white as standard. Optionally, the frames are available in a RAL colour² matching the tool shed as well as in RAL to choose.

¹ Not available for Classic Air, Classic Air Plus and Vario styles

² See page 48




Berry tool sheds with gable roof

Sizes

	Type 1	Type 2	Type 3
External dimensions of wall elements (width x depth)	238 x 107 cm	238 x 238 cm	302 x 238 cm
Overall height with gable roof (height)	216 cm	216 cm	216 cm
External dimensions with gable roof (width x depth)	258 x 121 cm	258 x 247 cm	323 x 247 cm
Door set height	198 cm	198 cm	198 cm
External foundation dimensions (width x depth)	244 x 114 cm	244 x 244 cm	309 x 244 cm
Internal dimensions of tool shed (width x depth)	226 x 95 cm	226 x 226 cm	290 x 226 cm
External dimensions bottom frame (width x depth)	234 x 104 cm	234 x 234 cm	299 x 234 cm
Clear passage height, tool shed (height)	194 cm	194 cm	194 cm
Clear passage width, tool shed (single-leaf / double-leaf)	96 cm / 159 cm	96 cm / 159 cm	96 cm / 159 cm
Gross floor area*	5.2 m ³	11.8 m ³	15.1 m ³
Wind load	150 km/h	150 km/h	150 km/h
Snow load	150 kg/m ²	150 kg/m ²	150 kg/m ²

* Please consult the local building regulations.

Standard colours



9 standard colours
and RAL to choose possible

Berry firewood racks

Styles and dimensions



1 Modern style

2 Classic style

Advantages

- Wood storage possible in two rows, space for up to 3 cubic metres or 5 bulk cubic metres of wood
- Matching Berry tool sheds to perfection
- Quick and easy fitting thanks to maximum degree of prefabrication
- Stability thanks to steel frame construction and high material thickness
- Two different styles can be selected: Classic and Modern
- Aluminium bottom frame included in the price
- Low-maintenance and weather-resistant
- Without sharp edges and therefore particularly child-proof
- Extremely robust and dimensionally stable

Cross strut and rear wall



Classic style with cross strut as standard



Classic style with optional rear wall



Modern style with optional rear wall

The firewood racks are available open with cross strut as standard and optionally with a rear wall. Please note: The rear wall of the firewood racks has the same Classic rear wall for both styles.



Optional screw foundation



Type 1




Type 2

Dimensions / technical data

External dimensions bottom frame (width x depth)	120 x 81 cm	178 x 81 cm
External dimensions foundation (width x depth)	130 x 91 cm	188 x 91 cm
Internal dimensions firewood rack (width x depth)	113 x 81 cm	171 x 81 cm
External dimensions firewood rack (width x depth)	123 x 103 cm	181 x 103 cm
Door set height	178 cm	178 cm
Overall height	198 cm	198 cm
Volume (without roof)	1.6 m ³	2.5 m ³
Wood storage cubic metres	approx. 2.2 cubic metres	approx. 3.5 cubic metres
Wood storage bulk cubic metres	approx. 3.7 bulk cubic metres	approx. 5.8 bulk cubic metres

Standard colours






9 standard colours
and RAL to choose possible

Colours

It's your choice

Standard colours for Juno tool sheds and Juno garden boxes



Standard colours, exterior



- 1 RAL 9007 Grey aluminium
- 2 RAL 7016 Anthracite grey
- 3 CH 703¹ Anthracite metallic

¹ Only available for Juno tool sheds

Standard colours, interior

- 4 RAL 9002 Grey white

Standard colours for Berry tool sheds and Berry firewood racks



Standard colours for Berry tool sheds and Berry firewood racks

- 1 RAL 9006 White aluminium
- 2 RAL 7040 Window grey
- 3 RAL 9007 Grey aluminium
- 4 RAL 7039 Quartz grey
- 5 RAL 5014 Pigeon blue
- 6 RAL 3004 Purple red
- 7 RAL 6013 Reed green
- 8 RAL 6005 Moss green
- 9 RAL 7016 Anthracite grey



RAL to choose

Berry storage space systems are available in all RAL colours for a surcharge.

For a stable subsurface for the Berry tool sheds, Berry firewood racks and Juno tool sheds



For full stability and safe assembly of Hörmann tool sheds and firewood racks, a horizontal substructure is required. The storage space systems are fixed and fitted on a paved, asphalted or concreted surface at least the size of the tool shed. If the substructure is not level, this may lead to restrictions in terms of assembly, functionality and safety.

Structure and fastening of the aluminium bottom frame to the subsurface, shown here using stone slabs

- 1 Dig out and level the lawn to a depth of approx. 10 cm.
- 2 Lay the paving stones and align them with a spirit level.
- 3 Apply the aluminium bottom frame.
- 4 Fasten to the paving stones with the enclosed angle set (16 units) and bolts.



If a paved, asphalted or concreted level base surface is not available, we recommend the new screw foundation with ground anchors. This fitting method allows the tool shed to be levelled even when the surface is uneven. The plus point: You get more flexibility for remodelling your garden at a later time.

Assembly and fixing of the aluminium base construction in the ground with screw foundation

- 1 Fit the aluminium bottom frame to the base construction and position at the planned location.
- 2 First align the 4 outer ground anchors with the bottom frame, then position the remaining ground anchors. A screw-in aid is included in the delivery package as standard.
- 3 Fasten the ground anchor to the bottom frame and the base construction using the mounting plates and brackets.
- 4 Align the individual fixing points using the height-adjustable screw connection for a level, firm foundation.

NEW. Accessories for Juno tool sheds

For exterior

All Juno tool sheds can be easily and individually expanded both on the inside and outside. With our practical accessories, you can customise the tool shed according to your wishes.



Drainpipe 5.5 x 5.5 cm Juno (set of 2 units) incl. fixing set – as standard for flat roof version
Variant 1: drainpipe standard set



Juno hose set 1 1/4" (set of 2 units) incl. fixing kit



Threshold ramp* (interior / exterior) incl. bolts
Single-leaf tool sheds: 105 cm
Double-leaf tool sheds: 151 cm

* Bottom frame required, when using the floor profiles, only the "exterior" threshold ramp is possible




Glazing with single-pane safety glass 4 mm
Glazing frame made of plastic, black
Width x height: 35 x 26 cm




Full-length glazing with laminated safety glass 4 mm
Glazing frame made of plastic, black
Width x height: 27 x 196 cm



Leaf cover
Size: from 9 x 155 cm (depending on roof type and tool shed size)



Juno aluminium bottom frame incl. fixing material
Dependent on the size of the tool shed



Juno steel base construction for floors incl. fixing material
Dependent on the size of the tool shed



Juno screw foundation
The screw foundation contains the ground screws. Support brackets, fixing material and the screw-in aid
The bottom frame, the floor base construction and the floor (or optionally a 2 cm thick support made of timber, OSB board or resin-impregnated plywood plate provided on site) are also required.

NEW. Accessories for Juno tool sheds

For inside

Note:

Dimensions in cm
Width × depth × height



Juno bicycle rack, horizontal
Short (width × depth): 48 × 21 cm
Long (width × depth): 96 × 21 cm



Juno bicycle rack, vertical
Length: 190 cm



Juno coat hook
Width × depth × height: 2.7 × 3.6 × 4.5 cm



Juno shelf
Short (width × depth): 48 × 35 cm
Long (width × depth): 96 × 25 cm



Juno fold-up table
Short (width × depth): 70 × 59 cm
Long (width × depth): 98 × 51 cm




Juno tool holder
Short (width): 48 cm
Long (width): 96 cm



Juno shelf rail (set of 2 units)
Length: 196 cm



Juno aluminium floor profiles
Note:
The aluminium bottom frame and steel floor base construction are also required



Electrical panel incl. sockets, light and optional high-power connection
Width × height: 47 × 180 cm


Accessories for Berry tool sheds

For exterior

All Berry tool sheds can be easily and individually expanded both on the inside and outside. With our practical accessories, you can customise the tools shed according to your wishes.



Roof frame for green roof
Size type 1: 251 × 154 cm
Size type 2: 251 × 284 cm
Size type 3: 316 × 284 cm



Leaf cover
Size: from 9 × 155 cm
(depending on roof type and tool shed size)



Stainless steel lever handle set with profile cylinder as standard



Trellis
Size 1: 90 × 190 cm
Size 2: 2 elements, each 110 × 190 cm



Threshold ramp (exterior)
Single-leaf tool sheds: 109 × 4 cm
Double-leaf tool sheds: 172 × 4 cm



Threshold ramp (interior)
Single-leaf tool sheds: 109 × 6 cm
Double-leaf tool sheds: 172 × 6 cm



NEW. Ventilation grille
For Berry tool shed styles Classic Air and Classic Air Plus
Size: 5 × 5 cm



Glazing elements with plastic panes
Frame in white as standard *, optionally in shed colour, variants with rail elements possible
28 × 20 cm – * see pages 34 / 36



Drain hose set
Ø 1 1/4", length 190 cm



Drainpipe in RAL colour of tool shed
Ø 40 mm, length 193 cm



Berry screw foundation*
The screw foundation contains the ground screws. Support brackets, fixing material and the screw-in aid



Detail of ground screw and bottom plate (basis for Berry screw foundation)
For Berry tool sheds, optionally for Berry firewood racks
Size: 6 × 60 cm

*The bottom frame, the floor base construction and the floor (or optionally a 1.8 cm thick support made of timber, OSB board or resin-impregnated plywood plate provided on site) are also required.

Accessories for Berry tool sheds

For inside

Note:

Dimensions in cm
Width × depth × height



Fold-up table set incl. shelf holder set long
Fold-up table: 70 × 59 cm
Shelf holder long: length 194 cm (2 units)



Shelf board set incl. shelf holder set short
Shelf: 67 × 24 cm (2 units)
Shelf holder short: length 70 cm (2 units)



Corner shelf
62 × 62 cm



Tool holder
Width 35 cm



Equipment holder set incl. shelf holder set short
Device holder short: width 48 cm
Device holder long: width 96 cm



Bicycle rack for bicycles up to 40 kg
Length: 194 cm



Aluminium corrugated sheet floor
For tool sheds type 1: 75 × 95 cm (3 units)
For tool sheds type 2: 75 × 112 cm (6 units)
For tool sheds type 3: 72 × 112 cm (8 units)
For firewood racks type 1: 55 × 72 cm (2 units)
For firewood racks type 2: 56 × 72 cm (3 units)



Steel base construction for floors
For tool sheds type 1: 224 × 94 × 4 cm
For tool sheds type 2: 224 × 224 × 4 cm
For tool sheds type 3: 289 × 224 × 4 cm
For firewood racks type 1: 109 × 70 × 4 cm
For firewood racks type 2: 168 × 70 × 4 cm




Aluminium LED magnetic lamp with movement detector
43 × 3.4 × 1.6 cm

Maximum prefabrication

For easy and straightforward assembly of Berry tool sheds

With the included tool set, the Berry tool sheds can be assembled quickly and easily. Thanks to a maximum degree of prefabrication and fewer individual parts, you always stay on top of things.



Only from Hörmann

With aluminium bottom frame as standard:
Protection against rust and more stability

Side:
1 part

Aluminium
bottom frame
4 parts

Front:
6 parts

Berry tool shed Classic, gable roof,
size: type 2, single-leaf door

Hörmann. Mit Sicherheit fürs ganze Leben.

Wer sein Zuhause baut oder modernisiert, wünscht sich einen Ort voller Freude, Geborgenheit und Entspannung. Dank nachhaltiger und besonders langlebiger Qualität werden Hörmann Produkte ein zuverlässiger Teil Ihres Zuhauses – gemacht, um Generationen zu begleiten.



Für weitere Informationen
scannen Sie einfach den QR-Code

**GARAGENTORE. TOR- UND TÜRANTRIEBE.
SMART HOME SYSTEME. HAUSTÜREN.
ZIMMERTÜREN. LOFTTÜREN. STAHLTÜREN.
ZARGEN. STAURAUMSYSTEME.**



Some of the storage space systems shown are equipped with accessories and do not always correspond to the standard version. The surface finishes and colours shown are subject to the limitations of the printing process and cannot be regarded as binding. All RAL colours are based on the RAL colour chart. Protected by copyright. No part may be reproduced without our prior permission. Subject to changes.

HÖRMANN